

Certificate of Analysis

PRODUCT: Rabbit Complement, 3-4 Week, Sterile**CODE NO:** 31061**LOT NO:** 34636**DATE OF
MANUFACTURE:** December 12, 2014**ORIGIN:** U.S.A.**STORAGE:** -70 °C**EU REQUIREMENTS:** Product meets European Union requirements for production of technical blood products.**PROCEDURE:** Blood is aseptically collected via cardiac puncture from 3 to 4 week old rabbits (New Zealand White, mixed sex). The blood is then centrifuged and the complement frozen at -70 °C. The complement is thawed, pooled, sterile filtered, and bottled at 4 °C then stored at -70 °C.**ASSAYS:**

Required Assays	Specification	Result
Hemolytic Titer:	≤ 1:16	1:16
Endotoxin:	≤ 1.0 EU/mL	0.354 EU/mL
Sterility:	No growth at 14 days	Passed. No growth at 14 days.
Mycoplasma:	Negative	Negative
Viral:	Negative	Negative

QUALITY ASSURANCE

Quality Control Release Date:

January 20, 2015

Sarah Graves
Quality Systems Technician**Meets or exceeds specifications** ☒**Does not meet specifications** ☐**SUITABLE FOR FURTHER MANUFACTURE OR RESEARCH PURPOSES**