

Certificate of Analysis

PRODUCT: Young Rabbit Plasma with K₂EDTA, Non-sterile, Lyophilized**CODE NO:** 31144L**LOT NO:** 03037**DATE OF
MANUFACTURE:** January 30, 2015**ORIGIN:** U.S.A.**STORAGE:** -10°C or below**EU REQUIREMENTS:** Product meets European Union requirements for production of technical blood products.

PROCEDURE: Whole blood is collected from young healthy rabbits (New Zealand White, 8–12 weeks of age, either sex, and fasted) at the time of slaughter, and diluted at 2.5 mL K₂EDTA then QS to 250 mL with blood. The blood is centrifuged. The plasma is pooled, bottled and frozen at or below -10°C. The plasma is then thawed, filtered through cheesecloth, aliquotted into 3 mL vials and lyophilized. The product is then stoppered, boxed, sealed, and stored at or below -10°C prior to shipment.

ASSAYS:

Required Assays	Specification	Result
Total Protein:	4.0 – 6.5	5.67 g/dL
Hemoglobin:	≤ 20 mg/dL	19.20 mg/dL
pH:	7.0 – 8.5	8.15
Coagulation:	Clot formation	Passed, clot formed

*Values noted above were taken prior to lyophilization.

Coagulase:	2 Strains <i>Staphylococcus aureus</i> : clot	2 Strains <i>Staphylococcus aureus</i> : clot
	<i>Staphylococcus epidermis</i> & <i>Enterobacter aerogenes</i> : no clot	<i>Staphylococcus epidermis</i> & <i>Enterobacter aerogenes</i> : no clot
Moisture:	FIO	2.13%

QUALITY ASSURANCE

Quality Control Release Date: February 18, 2015



Sarah Graves

Quality Systems Technician

Meets or exceeds specifications ☒**Does not meet specifications** ☐**SUITABLE FOR FURTHER MANUFACTURE OR RESEARCH PURPOSES**