

Biologicals Division

219 North Arkansas Street
205 North Arkansas
Rogers, Arkansas 72756

(479) 636-4361
(800) 643-3426

Fax 479-636-3562

Pel-Freez®

Analysis Certificate

PRODUCT: Rabbit Plasma Sterile Custom 

CODE NO: 31154

LOT NO: 10134

STORAGE: 2 - 8° C

**DATE OF
MANUFACTURE:** April 10, 2012

PROCEDURE: Rabbit whole blood is collected from healthy young rabbits (New Zealand White, 8-12 weeks of age, mixed sex) at time of slaughter. The blood is combined at 25 ml 3.5% EDTA then QS to 250 ml with blood. The plasma is separated from the blood cellular components by centrifugation. The plasma is pooled, passed through a 0.22 micron filter, bottled and stored at 2-8°C prior to shipment on wet ice.

ASSAYS: Total Protein: 4.84 g/dL

Hemoglobin: 13.20 mg/dL

pH: 7.65

Coagulation: clotted; passed

Sterility: Passed, no growth at 14 days

QUALITY ASSURANCE

Quality Control Release Date: April 25, 2012

Brenda Crosshaw

Meets or exceeds specifications ✓

Does not meet specifications

SUITABLE FOR FURTHER MANUFACTURE OR RESEARCH PURPOSES