

Biologicals Division

219 North Arkansas Street  
205 North Arkansas  
Rogers, Arkansas 72756

(479) 636-4361  
(800) 643-3426

Fax 479-636-3562

***Pel-Freez®***

**Analysis Certificate**

**PRODUCT:** Rabbit Plasma Sterile Custom- [REDACTED]

**CODE NO:** 31154

**LOT NO:** 20435

**STORAGE:** 2 - 8°C

**DATE OF  
MANUFACTURE:** July 23, 2013

**PROCEDURE:** Rabbit whole blood is collected from healthy young rabbits (New Zealand White, 8-12 weeks of age, mixed sex) at time of slaughter. The blood is combined at 25 ml 3.5% EDTA then QS to 250 ml with blood. The plasma is separated from the blood cellular components by centrifugation. The plasma is pooled, passed through a 0.22 micron filter, bottled and stored at 2-8°C prior to shipment on wet ice.

**ASSAYS:**

|                |                 |
|----------------|-----------------|
| Total Protein: | 5.04 g/dL       |
| Hemoglobin:    | 13.20 mg/dL     |
| pH:            | 7.72            |
| Coagulation:   | clotted; passed |
| Sterility:     | Pass            |

**QUALITY ASSURANCE**

**Quality Control Release Date: August 7, 2013**



Stephanie Whitmore  
Quality Systems Technician

**Meets or exceeds specifications ✓**  
**Does not meet specifications**

**SUITABLE FOR FURTHER MANUFACTURE OR RESEARCH PURPOSES**