

Certificate of Analysis

PRODUCT: Rabbit Plasma with EDTA, Sterile**CODE NO:** 31156**LOT NO:** 05140**DATE OF
MANUFACTURE:** February 20, 2018**ORIGIN:** U.S.A.**EU 142/2011:** AR TEC 0007**STORAGE:** At or below -10 °C**HEALTHY
ANIMAL
STATEMENT:** This product is made from raw materials that were collected from animals found free from obvious signs of infectious and contagious disease.**EU
REQUIREMENTS:** Product meets European Union requirements for production of technical blood products.**PROCEDURE:** Rabbit whole blood is collected from healthy young rabbits (albino, 8-12 weeks of age, mixed sex) at time of slaughter. The blood is combined with 2.5% EDTA. The plasma is separated from the blood cellular components by centrifugation. The plasma is pooled, passed through a 0.22 micron filter, bottled, and frozen.**ASSAYS:**

Required Assays	Specification	Result
Total protein:	4.0 – 6.5 g/dL	5.5 g/dL
Hemoglobin:	≤ 20 mg/dL	14 mg/dL
pH:	7.0 – 8.5	7.6
Coagulation:	Clot formation	Passed. Clot formation
Sterility:	No growth at 14 days	Passed. No growth at 14 days.

QUALITY ASSURANCE

Quality Control Release Date: March 14, 2018

Sarah Graves
Quality Systems Technician**Meets or exceeds specifications** ☒**Does not meet specifications** ☐**SUITABLE FOR FURTHER MANUFACTURE OR RESEARCH PURPOSES**