

Biologicals Division

219 North Arkansas St.
205 North Arkansas
Rogers, Arkansas 72756

(479) 636-4361
(800) 643-3426

Fax 479-636-3562

Pel-Freez®

Certificate of Analysis

PRODUCT: Rabbit Plasma with Heparin, Sterile

CODE NO: 31157

LOT NO: 13833-NC

STORAGE: At or below -10 °C

**DATE OF
MANUFACTURE:** May 18, 2011

PROCEDURE: Rabbit whole blood is collected from one healthy young rabbit (New Zealand White 8 - 12 weeks of age, either sex) at time of slaughter. The blood is combined with 0.25 mL Sodium Heparin (7500 units/mL) then QS to 50 mL with blood. The plasma is separated from the blood cellular components by centrifugation. The plasma is then passed through a 0.22 micron filter, bottled and stored at or below -10 °C.

ASSAYS: Total Protein 5.64 g/dL

Hemoglobin 23.2 mg/dL (Fail)

pH 7.69

Coagulation Passed, clot formed

Sterility Passed, no growth at 14 days.

QUALITY ASSURANCE

Quality Control Release Date: June 3, 2011

Meets or exceeds specifications
Does not meet specifications ✓



SUITABLE FOR FURTHER MANUFACTURE OR RESEARCH PURPOSES