

Certificate of Analysis**PRODUCT:** [REDACTED] Level 1 Modified Rabbit Plasma**CODE NO:** 31162L1**LOT NO:** 16648**DATE OF****MANUFACTURE:** June 15, 2026**ORIGIN:** U.S.A.**STORAGE:** -10 °C to -20 °C for 15 days from DOM; -70 °C or below for 12 months from DOM.

HEALTHY ANIMAL STATEMENT: This product is made from raw materials that were collected from animals found free from obvious signs of infectious and contagious disease.

All specimens that contain materials of animal origin were procured using the latest animal testing guidelines, laws or regulations and materials were obtained from US Department of Agriculture ("USDA") approved facilities.

EC 1069/2011: AR-TEC-0007 **REQUIREMENTS:** **EU** Product meets EU requirements for production of technical blood products.

PROCEDURE: Modified rabbit plasma is produced from custom rabbit plasma (Pel-Freez Part # 91162) and adsorbed rabbit plasma (Pel-Freez Part # 81162), using Pel-Freez SMP 31162L1.

APPEARANCE: Clear, amber fluid

ASSAYS:	Required Assays	Specification	Result
	INR	1.1 – 1.2	1.2

Meter	Final Bulk	QC Testing (sample 1)	QC Testing (sample 2)	Average QC Testing
UP02116319	1.2	1.2	1.2	1.2
UP02227995	1.2	1.2	1.1	1.2
UP02228001	1.2	1.2	1.1	1.2
UP02227996	1.2	1.2	1.1	1.2
UP02116320	1.2	1.2	1.1	1.2

INR obtained using [REDACTED] meter.

Test strips: code S-160 XSPT lot 782 847 80

QUALITY ASSURANCE

Quality Control Release Date: June 16, 2026



Doug Stocker

Quality Systems Technician

Meets or exceeds specifications ☒**Does not meet specifications** ☐**SUITABLE FOR FURTHER MANUFACTURE OR RESEARCH PURPOSES**