

Biologicals Division

219 North Arkansas Street
205 North Arkansas
Rogers, Arkansas 72756

(479) 636-4361 Fax 479-636-3562
(800) 643-3426

Pel-Freez®

Analysis Certificate

PRODUCT:



Citrate, Sterile

CODE NO: 31163

PO #:



STORAGE: -20 °C

DATE OF

MANUFACTURE: April 16, 2014

LOT NO: 10636

EU

REQUIREMENTS: Product meets EU requirements for production of technical blood products.

PROCEDURE: Rabbit whole blood is collected from healthy young rabbits (New Zealand White, 8–12 weeks of age, either sex and fasted) at the time of slaughter, combined with 8.5% Sodium Citrate and processed per customer specifications. The specified amount of Sodium Chloride is added and allowed to mix until dissolution is complete. The plasma is then pre-filtered and passed through a 0.22-micron filter, bottled and stored at -20 °C.

ASSAYS:

Total Protein: 4.26 g/dl

Hemoglobin: 8.80 mg/dl

Final pH: 7.85 @ 50% aqueous solution

Bacterial Coagulase: All five strains of *S. aureus* +3 or greater at 6 hours.
S. epidermidis & *E. aerogenes* negative at 6 hours.

Optical Density: 0.237

Sterility: Passed, no growth at 14 days

QUALITY ASSURANCE

Quality Control Release Date: May 14, 2014

Brenda Crenshaw
Quality Systems Technician

Meets or exceeds specifications ✓

Does not meet specifications

SUITABLE FOR FURTHER MANUFACTURE OR RESEARCH PURPOSE