

Certificate of Analysis

PRODUCT: [REDACTED] Custom Rabbit Plasma with Sodium Citrate, Sterile

CODE NO: 31163 **LOT NO:** 28947

STORAGE: -20 °C **PO#:** [REDACTED]

DATE OF MANUFACTURE: October 16, 2025 **ORIGIN:** U.S.A.

EXPIRATION DATE: February 16, 2027

HEALTHY ANIMAL STATEMENT: This product is made from raw materials that were collected from animals and found free from obvious signs of infectious and contagious disease.

EU REQUIREMENTS: Product meets European Union requirements for production of technical blood products.

PROCEDURE: Rabbit whole blood is collected from healthy young rabbits (albino, 8–12 weeks of age, either sex, and fasted) at the time of slaughter, combined with 50 mL of 8.5% sodium citrate, and QS to 250 mL with blood. The plasma is separated from the blood cellular components by centrifugation and pooled. The specified amount of sodium chloride is added and allowed to mix until dissolution is complete. Then the plasma is pre-filtered, passed through a 0.22-micron filter, bottled, and stored at -20 °C.

APPEARANCE: Tan to tan-yellow with a trace pink color; free of excessive hemolysis

ASSAYS:

Required Assays	Specification	Result
Total Protein Assay:	3.9 – 6.5 g/dL	4.1 g/dL
Hemoglobin Assay:	≤ 20 mg/dL	19 mg/dL
pH at 1:2 dilution:	6.5 – 8.5	7.6
Bacterial Coagulase at 1:2 dilution:	5 of 5 <i>S. aureus</i> strains +3 or greater at 6 - 24 hours. <i>S. epidermidis</i> & <i>E. aerogenes</i> negative at 6 - 24 hours. <i>S. pseudintermedius</i> greater than or equal to 1+ within 24 hours.	5 of 5 <i>S. aureus</i> strains +3 or greater at 24 hours. <i>S. epidermidis</i> & <i>E. aerogenes</i> were negative at 24 hours. <i>S. pseudintermedius</i> +4 at 24 hours.
Optical Density at 1:2 dilution:	0.200 – 1.300	0.237
Sterility:	No growth at 14 days	Pass

QUALITY ASSURANCE

Quality Control Release Date:

October 31, 2025


Doug Stocker
Quality Systems Technician

Meets or exceeds specifications ☒

Does not meet specifications ☐

SUITABLE FOR FURTHER MANUFACTURE OR RESEARCH PURPOSES

