

Biologicals Division

219 North Arkansas Street
205 North Arkansas
Rogers, Arkansas 72756

(479) 636-4361
(800) 643-3426

Fax 479-636-3562

Pel-Freez[®] Analysis Certificate

PRODUCT: [REDACTED], Rabbit Plasma with EDTA, Sterile filtered, Custom

CODE NO: 31164

LOT NO: 04435

PO# 4502848978

STORAGE: -20°C

**DATE OF
MANUFACTURE:** February 13, 2013

PROCEDURE: Rabbit whole blood is collected from healthy young rabbits (New Zealand White, 8–12 weeks of age, either sex, and fasted) at the time of slaughter combined with 25 mL EDTA then QS to 250 mL with blood. The plasma is separated from the blood cellular components by centrifugation and pooled. The specified amount of Sodium Chloride is added and allowed to mix until dissolution is complete. The pH is adjusted and the plasma is then passed through a 0.22-micron filter, bottled and stored at -20°C.

ASSAYS:	Total Protein	5.24 g/dl
	Hemoglobin	16.80 mg/dl
	Adjusted pH	6.75 before sterile filtration
	Final pH	7.17 @ 50% Aqueous Solution
	Bacterial Coagulase	4 of 5 <i>S. aureus</i> strains +3 or greater at 6 hours. 5 of 5 <i>S. aureus</i> strains +3 or greater at 24 hours. <i>S. epidermidis</i> & <i>E. aerogenes</i> were negative at 6 hours.
	Optical Density	0.398
	Sterility	Pass

QUALITY ASSURANCE

Quality Control Release Date: February 27, 2013



Meets or exceeds specifications ✓
Does not meet specifications

SUITABLE FOR FURTHER MANUFACTURE OR RESEARCH PURPOSES