

Certificate of Analysis
PRODUCT: [REDACTED] Level 2 Modified Rabbit Plasma I.N.R. 3.2 - 3.4

CODE NO: 31172

LOT NO: 31243

DATE OF MANUFACTURE: November 8, 2021

ORIGIN: U.S.A.

STORAGE: -10 °C to -20 °C for 15 days from DOM; -70 °C or below for 12 months from DOM.

HEALTHY ANIMAL STATEMENT: This product is made from raw materials that were collected from animals and found free from obvious signs of infectious and contagious disease.

EU REQUIREMENTS: Product meets EU requirements for production of technical blood products.

EC 1069/2011: AR-TEC-0007

PROCEDURE: Modified rabbit plasma is produced from custom rabbit plasma (Pel-Freez Part # 91162) and adsorbed rabbit plasma (Pel-Freez Part # 81162), using Pel-Freez SMP 31172.

Rabbit blood was collected and processed from New Zealand white rabbits (mixed gender, 8-12 weeks, US grown) at USDA plant P-202 and were found to be free of obvious signs of contagious diseases.

APPEARANCE: Clear, amber fluid

ASSAYS:	Required Assays	Specification	Result
	INR	3.2-3.4	3.2

Meter	Final Bulk	QC Testing (sample 1)	QC Testing (sample 2)	Average QC Testing
UP1118104	3.3	3.3	3.2	3.3
UP1296231	3.3	3.2	3.2	3.2
UP1300177	3.3	3.2	3.3	3.3
UP01452205	3.3	3.2	3.2	3.2
UP1251907	3.3	3.2	3.2	3.2

 INR obtained using [REDACTED] meter. Key code: S-385 XSPT
 Test strips: lot 393

QUALITY ASSURANCE

Quality Control Release Date: November 15, 2021



 Doug Stocker
 Quality System Technician
 Meets or exceeds specifications ☒
 Does not meet specifications ☐
SUITABLE FOR FURTHER MANUFACTURE OR RESEARCH PURPOSES