

Certificate of Analysis**PRODUCT:** [REDACTED] Level 3 Modified Rabbit Plasma I.N.R. 2.3-2.5**CODE NO:** 31173**LOT NO:** 04247**DATE OF
MANUFACTURE:** February 11, 2025**ORIGIN:** U.S.A.**STORAGE:** -10 °C to -20 °C for 15 days from DOM; -70 °C or below for 12 months from DOM.**HEALTHY
ANIMAL
STATEMENT:** This product is made from raw materials that were collected from animals and found free from obvious signs of infectious and contagious disease.**EU
REQUIREMENTS:** Product meets EU requirements for production of technical blood products.**EC 1069/2011:** AR-TEC-0007**PROCEDURE:** Modified rabbit plasma is produced from custom rabbit plasma (Pel-Freez Part # 91162) and adsorbed rabbit plasma (Pel-Freez Part # 81162), using Pel-Freez SMP 31173.

Rabbit blood was collected and processed from New Zealand white rabbits (mixed gender, 8-12 weeks, US grown) at USDA plant P-202 and were found to be free of obvious signs of contagious diseases.

APPEARANCE: Clear, amber fluid**ASSAYS:**

Required Assays	Specification	Result
INR	2.3 – 2.5	2.3

Meter	Final Bulk	QC Testing (sample 1)	QC Testing (sample 2)	Average QC Testing
UP01570790	2.5	2.3	2.4	2.4
UP01668059	2.5	2.3	2.3	2.3
UP01583599	2.5	2.3	2.3	2.3
UP01656560	2.5	2.3	2.3	2.3
UP1046206	2.5	2.3	2.4	2.4

INR obtained using [REDACTED] meter. Key code: S-486-XSPT

Test strips: code S_486 lot 56099380

QUALITY ASSURANCE

Quality Control Release Date: February 14, 2025

Bartholomew Rothrauff
Quality Systems TechnicianResults pending ☐Meets or exceeds specifications ☒Does not meet specifications ☐**SUITABLE FOR FURTHER MANUFACTURE OR RESEARCH PURPOSES**