

## PRODUCT FOR EVALUATION CERTIFICATE OF ANALYSIS

| <b>PRODUCT DESCRIPTION:</b>                  | [REDACTED] Bacillus Blend                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |       |                 |        |                 |               |        |              |          |      |                                              |                             |                                                                                                                                                        |
|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----------------|--------|-----------------|---------------|--------|--------------|----------|------|----------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>CODE:</b>                                 | PG0001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <b>LOT:</b>                                                                                                                                            | 28747 | <b>STORAGE:</b> | 2-8°C  |                 |               |        |              |          |      |                                              |                             |                                                                                                                                                        |
| <b>DATE OF MANUFACTURE:</b>                  | 14OCT2025                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |       | <b>ORIGIN:</b>  | U.S.A. |                 |               |        |              |          |      |                                              |                             |                                                                                                                                                        |
| <b>EXPIRATION DATE:</b>                      | To be determined by [REDACTED]                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                        |       |                 |        |                 |               |        |              |          |      |                                              |                             |                                                                                                                                                        |
| <b>DESCRIPTION:</b>                          | The blend is a mixture of the following: <ul style="list-style-type: none"> <li>○ 25% - <i>Bacillus subtilis</i></li> <li>○ 50% - <i>Bacillus amyloliquefaciens</i></li> <li>○ 25% - <i>Bacillus licheniformis</i></li> </ul>                                                                                                                                                                                                                                                                  |                                                                                                                                                        |       |                 |        |                 |               |        |              |          |      |                                              |                             |                                                                                                                                                        |
| <b>ASSAYS/TEST RESULTS:</b>                  | <table border="1"> <thead> <tr> <th>Required Assays</th> <th>Specification</th> <th>Result</th> </tr> </thead> <tbody> <tr> <td>Enterobacter</td> <td>Negative</td> <td>Pass</td> </tr> <tr> <td>Total Plate Count<br/>(1:10,000,000 dilution)</td> <td>&gt;1 x 10<sup>6</sup> cfu/mL</td> <td>           Pass – 7 x 10<sup>7</sup> cfu/mL at 1:10<sup>7</sup> dilution<br/>  </td> </tr> </tbody> </table> |                                                                                                                                                        |       |                 |        | Required Assays | Specification | Result | Enterobacter | Negative | Pass | Total Plate Count<br>(1:10,000,000 dilution) | >1 x 10 <sup>6</sup> cfu/mL | Pass – 7 x 10 <sup>7</sup> cfu/mL at 1:10 <sup>7</sup> dilution<br> |
| Required Assays                              | Specification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Result                                                                                                                                                 |       |                 |        |                 |               |        |              |          |      |                                              |                             |                                                                                                                                                        |
| Enterobacter                                 | Negative                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Pass                                                                                                                                                   |       |                 |        |                 |               |        |              |          |      |                                              |                             |                                                                                                                                                        |
| Total Plate Count<br>(1:10,000,000 dilution) | >1 x 10 <sup>6</sup> cfu/mL                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Pass – 7 x 10 <sup>7</sup> cfu/mL at 1:10 <sup>7</sup> dilution<br> |       |                 |        |                 |               |        |              |          |      |                                              |                             |                                                                                                                                                        |

### SIGNATURE



Johnathan Ross  
Product Development Specialist  
17OCT2025

PRODUCT FOR EVALUATION  
SUITABLE FOR FURTHER MANUFACTURE OR RESEARCH PURPOSES  
NOT FOR USE IN HUMANS