

PRODUCT DATA SHEET

Product Name: ANTI-DOPAMINE TRANSPORTER, EXTRACELLULAR LOOP 2 ANTIBODY

Product Code: P40006-100

Pack Size:

100 µL

Description: The dopamine transporter (DAT) is responsible for the reaccumulation of dopamine after it has been released. DAT antibodies and antibodies for other markers of catecholamine biosynthesis are widely used as markers for dopaminergic and noradrenergic neurons in a variety of applications including depression, schizophrenia, Parkinson's disease and drug abuse (Kish et al., 2001; Zhu et al., 2000; Zhu et al., 1999). Levels of DAT protein expression are altered by chronic drug administration (Wilson et al.1996).

- Physical State:Liquid; Buffer contents: 10 mM
HEPES (pH 7.5), 150 mM NaCl, 100
µg per mL BSA and 50% glycerolStorage/Stability:Stable at -20 °C for at least 1 year.
For long term storage -20 °C is
recommended
- PurificationPrepared from rabbit serum by
affinity purification using a SulfoLink®
column matrix to which the peptide
immunogen was coupled.

ShippingDomestic: Blue IceConditions:International: Blue Ice or Dry Ice

Host Species: Rabbit (Polyclonal)

88

Immunogen: Peptide from the extracellular loop 2 (EL2) region of human dopamine transporter (DAT), conjugated to keyhole limpet hemocyanin (KLH).

Species Reactivity: The antibody has been tested in Western blots of SDS-solubilized human striatal samples and in IHC applications with formaldehydefixed human and monkey brain sections.

Recommended Antibody Dilutions:

WB, IHC: 1:1000

References:

Mr (kDa):

- 1) Kish SJ et al. (2001) *Neuropsychopharmacology* 24:561-567.
- 2) Wilson JM et al. (1996) Nat Med 2:699-703.
- Zhu MY et al. (1999) Biol Psychiatry 46:1275-1286.

Western Blot Human caudate lysate showing specific immunolabeling of the ~88k DAT protein.	DAT –		-100 - 68 - 43
		3	

- 1

Application Key: WB – Western Blot IF – Immunofluorescence IHC – Immunohistochemistry IP - Immunoprecipitation FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES. P/N: 74088 Rev 01